**Amendments to the Claims** 

1. (Currently amended) A method of rendering content of an email as speech,

comprising the steps of:

an email server inserting a tag into the email, wherein said tag separates a first content in

said email provided by a first source from a second content in said email provided by a second

source;

transmitting said email to a voice command platform system for rendering said email as

speech wherein said system supports two or more different voice modes[[,]]; and

the voice command platform detecting said tag, [[and]] wherein, when said email is

rendered as speech, said first content is rendered in a first voice mode and wherein said second

content is rendered in a second voice mode, with the second voice mode being different from the

first voice mode.

2. (Original) The method of claim 1, wherein said first content comprises an

original email message and wherein said second content comprises a reply email message to said

original email message.

3-4. (Canceled)

5. (Currently amended) A method of rendering an email message as speech,

comprising the steps of:

a voice command platform processing said email message to identify an original email

message and a reply message to said original email message;

the voice command platform rendering said original email message as speech in a first

voice mode; and

the voice command platform rendering said reply message as speech in a second voice

mode, said second voice mode being different from said first voice mode.

6. (Original) The method of claim 5, further comprising the steps of processing said

email message to identify content from a third source, and wherein said content from said third

source is rendered in a third voice mode different from said first and second voice modes.

7. (Original) The method of claim 6, wherein said first voice mode is different from

said second voice mode in at least one of the following speech attributes: sex of speaker, accent,

intonation, speech rate, and pitch.

8. (Original) The method of claim 5, further comprising the steps of (1) processing

said email message to detect at least one of the following: a) a signature block to either said

original email message or said reply message, b) a privacy notice, or c) a confidentiality notice;

and (2) not rendering at least one of said detected signature block, confidentiality notice or

privacy notice as speech.

9. (Original) The method of claim 5, wherein said reply message comprises a voice

memo in response to a specific portion of said original email message, and wherein the method

further comprises the step of processing said email message to detect a tag associated with said

voice memo, and responsively rendering said voice memo as speech.

10. (Original) The method of claim 9, wherein said tag comprises a pointer to an

object comprising said voice memo.

11. (Withdrawn) A method of rendering an email message as speech, comprising the

steps of:

processing said email message to identify email content and a signature block in said

email message;

rendering said email content as speech; and

not rendering said signature block as speech.

12. (Withdrawn) A method of rendering an email message as speech, comprising the

steps of:

processing said email message to identify email content and a privacy notice in said email

message;

rendering said email content as speech; and

not rendering said privacy notice as speech.

13. (Withdrawn) A method of rendering an email message as speech, comprising the

steps of:

processing said email message to identify email content and a confidentiality notice in

said email message;

rendering said email content as speech; and

not rendering said confidentiality notice as speech.

14. (Withdrawn) A method of rendering an email message as speech to a recipient of

said email message, comprising the steps of:

processing said email message to identify email content and a signature block;

rendering said email content as speech;

referring to a user profile to determine whether to render the signature block as speech;

rendering, or not rendering, said signature block as speech in accordance with said user

profile.

15. (Withdrawn) A method of rendering an email message as speech to a recipient of

said email message, comprising the steps of:

processing said email message to identify email content and a signature block;

rendering said email content as speech;

detecting a tag separating a signature block from the reset of the email content

prompting a user to indicate whether to render the signature block as speech;

rendering, or not rendering, said signature block as speech in accordance with the

response to said prompt.

16. (Withdrawn) In an email server, the improvement comprising:

a machine readable storage medium containing a set of instructions for parsing an email

message to detect email content and a signature block associated with said email content;

wherein said instructions include instructions inserting a tag in said email message that

separates said email content from said signature block.

17. (Withdrawn) In an email server, the improvement comprising:

a machine readable storage medium containing a set of instructions for parsing an email

message to detect email content from a first source and email content from a second source;

wherein said instructions include instructions inserting a tag in said email message that

separates said email content from said first source from said email content from said second

source.

18. (Withdrawn) In an email server, the improvement comprising:

a machine readable storage medium containing a set of instructions for parsing an email

message to detect email content and at least one of a privacy notice and a confidentiality notice

associated with said email content;

wherein said instructions include instructions inserting a tag in said email message that

separates said email content from said privacy notice and/or confidentiality notice.

19. (Withdrawn) A method of allowing a recipient of an email message from a

source to respond to said email message via voice, comprising the steps of:

rendering said email message to said recipient as speech;

as said email is being rendered as speech, receiving a signal from said recipient indicating

the recipient intends to respond to said email message by inserting a voice memo at a particular

location in said email message;

receiving and storing said voice memo from said recipient; and

rendering said voice memo as speech to said source.

20. (Withdrawn) The method of claim 19, wherein said signal comprises a DTMF

tone.

21. (Withdrawn) The method of claim 19, wherein said signal comprises a voice

command.

22. (Withdrawn) The method of claim 19, wherein said voice memo is stored with a

hyperlink that points to a storage location containing said voice memo.

23. (Withdrawn) The method of claim 19, further comprising the step of rendering

said voice memo as speech to said recipient and prompting said recipient to indicate whether to

change said voice memo.

24. (Withdrawn) The method of claim 19, further comprising the step of prompting

said recipient to indicate whether to continue with the rendering of said email as speech after

receiving said voice memo.

25. (Previously presented) The method of claim 1, wherein said second content

comprises a voice response.

26. (Previously presented) The method of claim 1, wherein said second content

comprises a text response.

27. (Previously presented) The method of claim 25, wherein said email further

comprises a third content provided by a third source, wherein said third content comprises a text

response.

28. (Previously presented) The method of claim 27, wherein said second content and

said third content are rendered as speech, with said second content and said third content are

rendered as speech in second and third distinct voice modes, respectively, each distinct from said

first voice mode.

29. (Previously presented) The method of claim 1, further comprising the step of

receiving a command from a user listening to said email, said command comprising a

navigational command to control the rendering of the email as speech.

30. (Currently amended) The method of claim 29, wherein said command requests

rendering a desired portion of said email.

31. (Previously presented) The method of claim 29, wherein said command

comprises a voice command.

32. (Previously presented) The method of claim 30, wherein said desired portion

comprises email content from a source indicated in the command.

33. (Previously presented) The method of claim 28, wherein said command

comprises a command to cease rendering of the email as speech.

34. (New) A method of rendering content of an email as speech, comprising the steps

of:

an email client application inserting a tag into the email, wherein said tag separates a first

content in said email provided by a first source from a second content in said email provided by a

second source;

transmitting said email to a voice command platform for rendering said email as speech

wherein said system supports two or more different voice modes; and

the voice command platform detecting said tag, wherein, when said email is rendered as

speech, said first content is rendered in a first voice mode and said second content is rendered in

a second voice mode, with the second voice mode being different from the first voice mode.

35. (New) The method of claim 34, wherein said first content comprises an original

email message and wherein said second content comprises a reply email message to said original

email message.

36. (New) The method of claim 34, wherein said second content comprises at least

one of a voice response and a text response.